
Mountbatten





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

 $\mathsf{TV} = \mathsf{T.} \mathsf{V.} \mathsf{Socket}$

L/S = Light Switch

C L = Chandelier / Ceiling light


= Screen

A/C = Heating / Aircon

Mountbatten

Room plan: Theatre Capacity: 20 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

Mountbatten

Room plan: Boardroom Capacity: 12 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

Mountbatten

Room plan: Oval Capacity: 14 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

 $\mathsf{TV} \ = \ \mathsf{T.} \ \mathsf{V.} \ \mathsf{Socket}$

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Mountbatten

Room plan: Stand-up reception

Capacity: 20 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.